

ONE STOP SHOP FOR
PIPES
FITTINGS
FLANGES
VALVES
FASTENERS
GASKETS

Carbon and Stainless Steel,
Alloys, Nickel Alloys,
Duplex & Super Duplex
ASTM, EN, DIN, GOST
standards

EQUAL TEE SMLS
ASTM A403 WPS 304

ELBOW 90° SMLS
ASTM A815 UNS S31803

CONC REDUCER
ASTM A403 WPS 316L



PIPES AND FITTINGS UK LTD



PIPES AND FITTINGS UK LTD

Pipes & Fittings UK Ltd is one of the most significant European suppliers of Piping materials according to ASTM, DIN, EN and ISO standards used in critical applications, such as Chemical and Petrochemical plants, Oil installations, Power plants, Shipyards and Offshore platforms.

We can supply complete packages of pipes, butt weld fittings, forged fittings, olets, flanges, valves and studbolts in many different steel grades such as Carbon steel, Stainless steel, Alloy steel, Duplex and Super Duplex.

We offer professional management of small and large scale projects, short lead times, on time delivery and the most important good quality products.

The products we supply are fully approved by the major inspection authorities like TÜV, Lloyd's, DNV, and B.V. and come with EN10204 3.1B certification.

Apart from offering standard products we can offer special pieces according to customer drawing whatever requirement is for pipes, fittings or flanges.



Seamless Alloy Pipes / Boiler Tubes

Standards: ASTM, DIN, EN
Steel Grades: A335-P5,P9,P11,P22,P91, 16Mo3, 13CrMo4-5, 10CrMo9-10, X11CrMo5, X10CrMoVNb9-1, X 20 CrMo V 11-1
Schedules: SCH STD - SCH160/XXS
Thickness: 1.5mm to 80.0mm
Ends: Bevelled/Plain
Lengths: SRL 5-8m and DRL 9-13m
Availability: Stock / Production



Welded & Seamless Stainless/Duplex Pipes

Standard: ASTM, DIN, EN
Steel Grades: TP304L, TP316L, TP316TI, TP304H, TP310S, TP321H, TP347H, TP904L, UNS S31803 (DUPLEX), UNS S32760 (SUPER DUPLEX)
Sizes: 1/8" to 36" - 10.29 mm to 914.40 mm
Schedules: SCH STD, SCH XS, SCH XXS, SCH 5S, SCH 10/10S, SCH 20, SCH 30, SCH 40/40S, SCH60, SCH80/80S, SCH 100, SCH 120, SCH 140, SCH 160
Thickness: 1.5mm to 80.0 mm
Ends: Bevelled/Plain
Lengths: SRL 5-8m and DRL 9-13 m
Availability: Stock / Production




Seamless Pipes Carbon & Low Temperature

Standard: ASTM, DIN, EN
Steel Grades: A333 Gr.6, A106 Gr B/A/C, API 5L X42, X46, X52,X60, X65, X70 (PSL1 & PSL2)
Sizes: 3/8" to 24" - 10.2mm to 610.0mm
Schedules: SCH STD, SCH XS, SCH XXS, SCH20, SCH40,SCH60, SCH80,SCH100,SCH120,SCH140,SCH160
Ends: Bevelled/Plain
Lengths: SRL 5-8m and DRL 9-13m
Availability: Stock / Production



Welded Pipes Longitudinally/Spiral ERW-SAW

Standard: ASTM, DIN, EN
Steel Grades: API 5L Gr.B, X42, X46, X52,X60, X65, X70, S235JR, S275J2H, S355J2H, S355JOH, P235HG,P265GH, P355N, P420N, L245NB, L290NB, ST37.8, ST35.8
Sizes: 3" to 60" - 80.0mm to 1600.0mm
Schedules: SCH STD, SCH XS, SCH XXS, SCH20,SCH30,SCH40, SCH60,SCH80,SCH100,SCH120,SCH140,SCH160
Thickness: 1.5mm to 60.0mm
Ends: Bevelled/Plain
Lengths: SRL/DRL 6-18m
Availability: Stock / Production



Welded & Seamless Nickel Alloy Pipes

Standards: ASTM, EN
Steel Grades: Alloy 825, Alloy 625, Alloy 600, Alloy 400, Alloy 201, Inconel C276, Alloy 200
Sizes: 3" to 42"
Schedules: SCH STD - SCH160/XXS
Thickness: 1.5mm to 60.0mm
Ends: Bevelled/Plain
Lengths: SRL 5-8m
Availability: Stock / Production





Welding Neck Flange

Standard: ASTM, EN, DIN

Rate: From 150LBS to 2500LBS / PN10 to Pn400

Size: From 1/2" to 68"

Materials Carbon Steel: ASTM A105 / ASTM A350 LF2 Self coloured & Hot Dip Galvanised

Materials Stainless Steel: ASTM A182 F304L, F316L, 304H, F321, F321H, F347, F347H, F310S, F317, F904L

Materials Alloy Steel: ASTM A182 F1, F5, F9, F11, F22, F91

Material Duplex & Nickel Alloy: ASTM A182 F51, F53, F55, Alloy 825, Alloy 625, Alloy 600, Alloy 400, Alloy 201, Inconel C276, Alloy 200

Type: RF, FF, RTJ

Availability: Stock / Production

Blind Flange

Standard: ASTM, EN, DIN

Rate: From 150LBS to 2500LBS / PN10 to Pn400

Size: From 1/2" to 68"

Materials Carbon Steel: ASTM A105 / ASTM A350 LF2 Self coloured & Hot Dip Galvanised

Materials Stainless Steel: ASTM A182 F304L, F316L, 304H, F321, F321H, F347, F347H, F310S, F317, F904L

Materials Alloy Steel: ASTM A182 F1, F5, F9, F11, F22, F91

Material Duplex & Nickel Alloy: ASTM A182 F51, F53, F55, Alloy 825, Alloy 625, Alloy 600, Alloy 400, Alloy 201, Inconel C276, Alloy 200

Type: RF, FF, RTJ

Availability: Stock / Production



Slip On Flange

Standard: ASTM, EN, DIN

Rate: From 150LBS to 2500LBS / PN10 to Pn400

Size: From 1/2" to 68"

Materials Carbon Steel: ASTM A105 / ASTM A350 LF2 Self coloured & Hot Dip Galvanised

Materials Stainless Steel: ASTM A182 F304L, F316L, 304H, F321, F321H, F347, F347H, F310S, F317, F904L

Materials Alloy Steel: ASTM A182 F1, F5, F9, F11, F22, F91

Material Duplex & Nickel Alloy: ASTM A182 F51, F53, F55, Alloy 825, Alloy 625, Alloy 600, Alloy 400, Alloy 201, Inconel C276, Alloy 200

Type: RF, FF, RTJ

Availability: Stock / Production



Socket Weld Flange

Standard: ASTM, EN, DIN

Rate: From 150LBS to 2500LBS / PN10 to Pn400

Size: From 1/2" to 68"

Materials Carbon Steel: ASTM A105 / ASTM A350 LF2 Self coloured & Hot Dip Galvanised

Materials Stainless Steel: ASTM A182 F304L, F316L, 304H, F321, F321H, F347, F347H, F310S, F317, F904L

Materials Alloy Steel: ASTM A182 F1, F5, F9, F11, F22, F91

Material Duplex & Nickel Alloy: ASTM A182 F51, F53, F55, Alloy 825, Alloy 625, Alloy 600, Alloy 400, Alloy 201, Inconel C276, Alloy 200

Type: RF, FF, RTJ

Availability: Stock / Production



ButtWeld Fittings Carbon Steel

Manufacturing Standards: ASTM, EN, DIN

Fitting Types: 45°/90°/180° LR or SR Elbows, Concentric Reducers, Eccentric Reducers, Equal Tees, Reducing Tees, Caps.

Process: Seamless and Welded

Steel Grades: A234WPB, A234WPL6, WPHY 42, WPHY 46, WPHY 52, WPHY 60, WPHY 65, WPHY 70, P235GH, P265GHL245NB - L290NB - L360NB - L415NB - L360QB - L415QB - L450QB - L485QB - L555Q

Sizes: 3/8" to 62" - 10.2mm to 1560.0mm

Schedules: SCH STD - SCH160/XXS

Thickness: 1.5mm to 60.0mm

Ends: Bevelled/Plain

Availability: Stock / Production



ButtWeld Fittings Stainless & Duplex Steel

Manufacturing Standards: ASTM, EN, DIN

Fitting Types: 45°/90°/180° LR or SR Elbows, Concentric Reducers, Eccentric Reducers, Equal Tees, Reducing Tees, Caps.

Process: Seamless and Welded

Steel Grades: WP304L, WP316L, WP316TI, WP317L, WP304H, WP310S, WP321H, WP347H, WP904LUNS S31803 (DUPLEX), UNS S32760 (SUPER DUPLEX)

Sizes: 3/8" to 56" - 10.2mm to 1442.0mm

Schedules: SCH STD - SCH160/XXS

Thickness: 1.5mm to 50.0mm

Ends: Bevelled/Plain

Availability: Stock / Production

ButtWeld Fittings Alloy Steel

Manufacturing Standards: ASTM, EN, DIN

Fitting Types: 45°/90°/180° LR or SR Elbows, Concentric Reducers, Eccentric Reducers, Equal Tees, Reducing Tees, Caps.

Process: Seamless and Welded

Steel Grades: A234 WP1, WP5, WP9, WP11, WP12, WP22, Wp91 16Mo3, 13CrMo4-5, 10CrMo9-10, X11CrMo5, X10CrMoVNb9-1, X 20 CrMo V 11-1

Sizes: 3/8" to 56" - 10.2mm to 1442.0mm

Schedules: SCH STD - SCH160/XXS

Thickness: 1.5mm to 50.0mm

Ends: Bevelled/Plain

Availability: Stock / Production



ButtWeld Fittings Nickel Alloy Steel

Manufacturing Standards: ASTM, EN, DIN

Fitting Types: 45°/90°/180° LR or SR Elbows, Concentric Reducers, Eccentric Reducers, Equal Tees, Reducing Tees, Caps.

Process: Seamless and Welded

Steel Grades: Alloy 825, Alloy 625, Alloy 600, Alloy 400, Alloy 201, Inconel C276, Alloy 200

Sizes: 3/8" to 24" - 10.2mm to 609.6mm

Schedules: SCH STD - SCH160/XXS

Thickness: 1.5mm to 60.0mm

Ends: Bevelled/Plain

Availability: Stock / Production



Forged Steel Fittings

Dimensions to: ANSI B16.11 / BS 3799 / B1.20.1 / ISO 7-1 / MSS SP 97 / MSS SP 83 / MSS SP 95

Ends: NPT / Socket Weld / BSPT

Rating: 3000LBS / 6000LBS / 9000LBS

Standards: ASTM ASME ANSI MSS

Size: 1/8" to 4"

Type: 90 Degree Elbow / 45 Degree Elbow / Equal & Reducing Tee / Full & Reducing Coupling / Bushes / Plugs / Caps / Crosses / Unions

Olets

Dimensions to: MSS-SP97

Standards: ASTM ASME ANSI MSS

Rating: 3000LBS / 6000LBS

Schedule: STD to SCH 160

Size: 1/2" to 36"

Type: Weldolet / Sockolet / Thredolet / Sweepolet / Nipolet / Elbolet / Latrolet / Nipoflange

Materials Carbon Steel: ASTM A105 / ASTM A350 LF2 Self coloured & Hot Dip Galvanised

Materials Stainless Steel: ASTM A182 F304L, F316L, 304H, F321, F321H, F347, F347H, F310S, F317, F904L

Materials Alloy Steel: ASTM A182 F1, F5, F9, F11, F22, F91

Material Duplex Steel: ASTM A182 F51, F53, F55, Alloy 825, Alloy 625, Alloy 600, Alloy 400, Alloy 201, Inconel C276, Alloy 200



Pipe Nipples



Threaded both ends / Plain one end / Threaded one end / Plain both ends / Victaulic

Thread: NPT / BSPT

Size: 1/8" to 8"

Standard lengths: 50mm to 200mm

Schedule: STD to SCH 160

Materials: ASTM A106 Gr B / API 5L Gr B Galvanised / ASTM A333 Gr 6 /

API 5L Gr X52 / ASTM A182 F304L / ASTM A182 F316L /

ASTM A182 304H / ASTM A182 F321 / ASTM A182 F321H /

ASTM A 182 F347 / ASTM A182 F347H / ASTM A182 F310 /

ASTM A182 F317 / ASTM A182 F1 / ASTM A182 F5 /

ASTM A182 F9 / ASTM A182 F11 / ASTM A182 F22 / ASTM A182 F91

Special Flanges

Standards: ASTM, EN, DIN, GOST

Type: Swivel flange, Tube sheet, Anchor, Orifice, Compact, Drip Rings, Spades & Spacers

Materials: Carbon steel, Stainless, Duplex, Super Duplex, Nickel Alloy

Availability: Production only



Induction Bends

Manufacturing Standards: ASTM, EN, DIN
Radius: 2D, 3D, 5D, 7D, 10D
Process: Seamless and Welded
Steel Grades: Carbon Steel, Stainless Steel, Alloy Steel only
Sizes: 3/8" to 42" - 10.2 mm to 1067.0 mm
Schedules: SCH STD - SCH160/XXS
Thickness: 1.5 mm to 60.0 mm
Ends: Bevelled/Plain
Availability: Stock / Production



Special Pieces / According to Drawing



Manufacturing Standards: ASTM, EN, DIN
Fitting Types: Reducing Elbow, Barred Tee, Y Piece,
Long Tangent Elbow, Crosses
Process: Seamless and Welded
Steel Grades: Carbon Steel, Stainless Steel, Alloy Steel only
Sizes: 3/8" to 60"
Thickness: 1.5 mm to 60.0 mm
Ends: Bevelled/Plain
Availability: Production only

Flange Stud Bolts

Standards: ASTM, EN, BS
Types: Hexagon Bolts, Hexagon Flange Bolts, Socket Head Cap Screws,
Hexagon Flange Nuts Square Head Bolts, Round Head Bolts,
Fully Threaded Studbolts, Washers
Material: Carbon steel, Stainless, Steel, Duplex Steel, Alloy Steel,
Nickel Alloys
Availability: Stock / Production



Flange Gaskets

We offer flange gaskets to suit all flanges.



WE DELIVER OUR PRODUCTS WORLDWIDE



PIPES AND FITTINGS UK LTD

The Nucleus, Brunel Way,
Dartford, Kent, DA1 5GA
England

Phone: +44 (0) 1322 643 179

Fax: +44 (0) 1322 643 180

info@pipesandfittingsuk.co.uk

www.pipesandfittingsuk.co.uk